
Lithoss



Index

Our Story	р4
Synergy with TAL	p8
Online product & price configurator	p12
Floating	p14
Pixel	p18
Select	p22
Cockpit	p34
Cosmopolitan	p46
Roomcontroller	p50
Aesteem	p52
Dimmers	p56
Sockets	p62
Luminaires	p76
Ipad Canvas	p86
Did you know?	p88
Sneak Peek	p90
Hotel Specials / Door handles	P92
Arpi Floorsockets	p98
Technical Guide	p112


Lithoss Mastery in Belgium

Lithoss's commitment to quality is what sets us apart from the rest. With over 20 years of experience, we meticulously manufacture each product in Belgium, utilizing premium materials to exceed expectations and maintain the superior craftsmanship that embodies Belgian excellence.

What truly distinguishes Lithoss is the boundless array of possibilities we offer. From functionality to finish, installation options to personalization, our products cater to every preference. Whether it's selecting a specific finish, customizing with a personal engraving, or integrating an assorted door handle, Lithoss tailors to your individual style, drawing inspiration directly from you.

In addition to aesthetics, Lithoss caters to diverse needs with a comprehensive range of product variations. From switches and sockets to USB chargers, sensors and thermostats – all designed to integrate smoothly with advanced automation technology – we provide solutions that transcend mere functionality.

Furthermore, we offer compatibility with various home and building automation systems such as KNX and Casambi, ensuring seamless integration and enhancing the functionality of your space.




Design, Exploration & Craftsmanship

Our unique, handcrafted products showcase our dedication to quality and love for design. We are always on the move, staying updated with the latest trends in interior design, architecture, lighting, home automation and lifestyle. This continuous exploration for innovation has enabled us to stay ahead of the curve and surpass common quality standard for over twenty years.







Elements of pureness

Celebrate the essence of pure design with Lithoss, where compromise finds no place. Our sleek and minimalist designs underscore the allure of even the smallest Lithoss button. Crafted from exclusive Belgian materials, our products capture the essence of enduring quality. Explore the exceptional solidity of these materials, ensuring quality that stands the test of time. Welcome to a world where Lithoss elevates every detail to a standard of timeless sophistication.



Is it any wonder that the Lithoss designs have won several awards?

















Living Textures

Unique, hand-made products

Touching a Lithoss switch, socket, or dimmer is to connect with the very essence of Lithoss. You'll immediately sense the quality sensation of raw and authentic materials. Each surface feels vibrant yet subtle, as if delicately brushed by an artist's hand. These rich textures are ymeticulously crafted through manual processes, such as sanding, polishing, and galvanic treatments in etching baths. Treated with care and attention, they will interact with light; creating a dynamic interplay of color and perception that shifts with the angle and intensity of illumination.

Synergy with TAL

Nobel elbow + cockpit

Joined through the exclusive use of premium materials such as anodised or powdercoated aluminium, the integration of switches, sockets and lighting forms a unified harmony within your design concept. It's a testament to our commitment to holistic design, elevating it to new heights with Lithoss and TAL working in tandem.

Check out our luminaires collection to find examples of that perfect synergy between our sister companies such as the beautiful berrier swivel on page 69.








scan for the TAL website



Lithoss and TAL are the perfect match not only because of matching Textured paint but also due to the new Brushed Anodic finishes.



Microscoop + Dimmer

Endless possibilities

Infinite potential unfolds as our customers explore the diverse combinations available, each contributing to the creation of Lithoss's distinctive and exclusive character.



Switch

Dimmer



USB charger



Luminaire



Socket Round



Doorhandle



Socket Square



Thermostat



Floor socket ... and much more








Lithoss products effortlessly enhance any setting, whether as standalone pieces or grouped together in perfect harmony with architectural spaces.

The practically limitless combinations available to our customers contribute to Lithoss' unique character, offering versatility in functionality, finish, installation methods (recessed or surface-mounted), combination options, and personalization



Your ideal configuration

How to find your way in this ocean of possibilities? Easy: we navigate you with our online configurator. Step by step we take you towards your ideal personalised switch or socket.





Switch



Socket Square



Dimmer



USB charger



Socket Round



Luminaire



RJ45 / UTP

CHOOSE YOUR COLLECTION



For more information:

CHOOSE YOUR FRAME

The first steps guide you through the technical options. You can choose from one single frame up to a fourfold frame and then fill up each frame with modules of your choice.

CHOOSE THE MODULES

Two switches, one socket and a USB charger? Consider it done. One USB, a luminaire and a socket? You choose, we produce.





CONFIGURATION SHOW



CHOOSE YOUR FINISH

The visual options are equally important. Stainless steel, Matt Black, Tin Antique ... what preference for colour and finish suits you most? Discover them all via our online configurator.



Matt White RAL9010



Black





Black (Fusain)



Textured White



Matt Black



Chrome



Nickel



Copper







Antique Antique



Brushed

Brass

on demand

Brass



Anodic Bronze Anodic Brown

Tin Antique

Any RAL Colour Brushed Gold Ano

Brushed Titanium Ano



Ano

NEW

Floating

Mind the gap.

Design by Lithoss Design Studio

The classic Lithoss switch, known for its iconic design, receives a sophisticated refresh while maintaining its signature elegance. Thanks to a subtle yet thoughtful innovation, the switch now appears to be floating off the wall, creating a refined and

Striking the perfect balance innovation, Lithoss elevates the art of a switch to new heights. The use of premium materials, meticulous attention to detail, switch not just a functional element, but a true statement piece in any interior.

Every aspect, from its sleek edges to its flawless finish, exudes pure craftsmanship.

This reinterpretation of an icon modern finesse can go hand in hand. The Lithoss switch who value design, quality, and exclusivity.

Available shapes






Setups & Combinations





Floating is possible in following ranges:


- -Select
- -Cockpit
- -Pixel
- -Dimmers
- -Sockets











Dixel

of style and functionality.

Whether you're upgrading your home or designing a contemporary workspace, Pixel delivers sophistication without compromise.



Available shapes





Technology







Push Button Casambi



sensor temp. sensor



Push Teleruptor Button 250V - 16A MAINS


0

Casambi


Setups & Combinations








- No battery needed
- Works as a mesh network repeater
- More functionalities
 - -Scene cycling
 - -Tunable white control



Pixel

Setups & combinations

OVERVIEW STANDARD COLLECTION



Dimensions & wall boxes: see technical guide

Switches

Select

The first series surprising



Design by Bart Spillemaeckers

Lithoss was established at the turn of the century by installer Bart Spillemaeckers to meet the rising demand for exclusive, timeless, and sophisticated switches. The inaugural series, SELECT, set the stage for Lithoss' product range—a collection distinguished by its enduring design.

Over time, SELECT has evolved into a global trendsetter, boasting an impressive portfolio of reference projects, including renowned establishments like Hotel 1898 The Post in Belgium, the Rosewood Hotel in Austria, and Nana Beach Hotel in Crete, Greece.

Comprising a diverse spectrum of 15 finishes, the SELECT series offers unparalleled customization options for your switches. Through an ongoing process of radical innovation in materials and finishing techniques, the SELECT concept continually evolves. Prepare to be surprised by the timeless elegance and sophistication of SELECT.



Available shapes





Technology



Push

Button









0

Push



KNX sensor RGB led + temp. senso



Casambi



Setups & Combinations







Select is also available in a Flush edition for a perfectly flat surface. Ever thought about

combining? Both Socket and Dimmer work great with Select.




- 110V 230V
- No battery needed
- Works as a mesh network repeater
- More functionalities
 - -Scene cycling
 - -Tunable white control











STANDARD COLLECTION

European Standard

Our products are originally designed for the standard European market using wallboxes with a heart to heart distance of 71mm. In a response to popular demand, Lithoss expanded its product range to the Italian, British and Swiss market by introducing the Opera, Britannica and Helvetica frames.





BRITANNICA

Tailored especially for on a British Standard double and Italian 504E electrical wall box. Our European standard collection is compatible with the single British Standard wall boxes.

Horizontal & vertical solutions.





OPERA

Designed for Italian Standard 503E and US single wall boxes. Horizontal & vertical solutions.





HELVETICA



Swiss Standard


It wasn't an easy job but thanks to great teamwork together with our Swiss distributor, we are proud to announce that we have our product ranges now compatible with the SWISS standard wall boxes round and square shaped.

NEW DIMENSIONS SEE PAGE 114










Select

Setups & combinations

OVERVIEW STANDARD COLLECTION



Dimensions & wall boxes: see technical guide



Select

Туре		Standard Collection		Circum		Opera
24V-250V push button		Ni31xx		CN31xx		ON31xx
24V + led white	1T	Ni71xx	1R	CN71xx	1T	ON71xx
24V + led amber		Ni81xx	(°)	CN81xx		ON81xx
KNX (led & temp sensor)		NiS1xx		CNK1xx		ONK1xx
Teleruptor		NiA1xx		CNA1xx		ONA1xx
Casambi		NiT1xx		CNT1xx		ONT1xx
24V-250V push button		Ni32xx		CN32xx		ON32xx
24V + led white	2T	Ni72xx	2R	CN72xx	2T	ON72xx
24V + led amber	00	Ni82xx	$(\circ \circ)$	CN82xx		ON82xx
KNX (led & temp sensor)		NiS2xx		CNK2xx		ONK2xx
Casambi		NiT2xx		CNT2xx		ONT2xx
24V-250V push button		Ni33xx		CN33xx		ON33xx
24V + led white	3T	Ni73xx	3R	CN73xx	3T	ON73xx
24V + led amber	80	Ni83xx	(%)	CN83xx		ON83xx
KNX (led & temp sensor)		NiS3xx		CNK3xx		ONK3xx
Casambi		NiT3xx		CNT3xx		ONT3xx
24V-250V push button		Ni34xx		CN34xx		ON34xx
24V + led white	4T	Ni74xx	4R	CN74xx	4T	ON74xx
24V + led amber	88	Ni84xx	(88)	CN84xx		ON84xx
KNX (led & temp sensor)		NiS4xx		CNK4xx		ONK4xx
Casambi		NiT4xx		CNT4xx		ONT4xx

Setups & combinations




DISCOVER ALL COMBINATION POSSIBILITIES WITH OUR CONFIGURATOR

Dimensions & wall boxes: see technical guide.

xx Add the colours code at the end for any colours you desire: Add V behind the article code for vertical installation of plate.


Туре		Standard Collection		Circum		Britannica
24V-250V push button		Ni310Uxx		CN310Uxx		BN310Uxx
24V + led white	-	Ni710Uxx	IR USB A	CN710Uxx		BN710Uxx
24V + led amber	1T USB A	Ni810Uxx		CN810Uxx	1T USB A	BN810Uxx
KNX (led & temp sensor)	0 8	NiS10Uxx	(O B	CNK10Uxx		BNK10Uxx
Teleruptor	-	NiA10Uxx		CNA10Uxx		BNA10Uxx
Casambi		NiT10Uxx		CNT10Uxx		BNT10Uxx
24V-250V push button		Ni3434xx		CN3434xx		BN3434xx
24V + led white	. 44T	Ni7474xx	44R	CN7474xx	44T	BN7474xx
24V + led amber		Ni8484xx		CN8484xx	- 8888	BN8484xx
KNX (led & temp sensor)	. [00 00]	NiS4K4xx		CNK4K4xx	- [8888]	BNK4K4xx
Casambi	-	NiT4T4xx		CNT4T4xx		BNT4T4xx
24V-250V push button		Ni3432xx		CN3432xx		BN3432xx
24V + led white	. 42T	Ni7472xx	42R	CN7472xx	- 42T	BN7472xx
24V + led amber	. 88	Ni8482xx	(00 00)	CN8482xx		BN8482xx
KNX (led & temp sensor)	- [00 00]	NiS4K2xx		CNK4K2xx		BNK4K2xx
Casambi		NiT4T2xx	******	CNT4T2xx		BNT4T2xx
24V-250V push button		Ni3431xx		CN3431xx		BN3431xx
24V + led white	- - 41T	Ni7471xx	41R	CN7471xx	41T	BN7471xx
24V + led amber	. 🔠 🗆	Ni8481xx	(% 0)	CN8481xx	_	BN8481xx
KNX (led & temp sensor)		NiS4K1xx		CNK4K1xx		BNK4K1xx
Casambi		NiT4T1xx	****	CNT4T1xx		BNT4T1xx

Туре			EU pe F)	FR/BE (type E)	
		White	Black	White	Black
24V-250V push button		Ni310Hxx	Ni310lxx	Ni310Jxx	Ni310Lxx
24V + led white	. 1T1VN	Ni710Hxx	Ni710lxx	Ni710Jxx	Ni710Lxx
24V + led amber		Ni810Hxx	Ni810lxx	Ni810Jxx	Ni810Lxx
KNX (led & temp sensor)		NiS10Hxx	NiS10lxx	NiS10Jxx	NiS10Lxx
Teleruptor	_	NiT10Hxx	NiT10lxx	NiT10Jxx	Ni310Lxx
Casambi	-	NiT10Hxx	NiT10lxx	NiT10Jxx	NiT10Lxx
24V-250V push button		CN340Hxx	CN340lxx	CN340Jxx	CN340Lxx
24V + led white	-	CN740Hxx	CN740lxx	CN740Jxx	CN740Lxx
24V + led amber	4R1VN	CN840Hxx	CN840lxx	CN840Jxx	CN840Lxx
KNX (led & temp sensor)	(% 0)	CNK40Hxx	CNK40lxx	CNK40Jxx	CNK40Lxx
Casambi	-	CNT40Hxx	CNT40lxx	CNT40Jxx	CNT40Lxx




TYPE F


Conformity to Standards for GERMANY according to DIN VDE 0620-1 Standard.



TYPE E

Conformity to Standards for FRANCE according to NF C 61-314 Standard. for BELGIUM according to NBN C 61-112-1 Standard.





Switches

That high appreciated of vintage

Design by Lithoss Design Studio

Cockpit presents the ultimate design solution for your renovation projects. This 6-ampere two-way switch offers straightforward connection to your conventional installation, ensuring convenience and versatility. Available in the renowned stylish finishes of Lithoss, including the bestselling Bronze Antique and the popular Gunpowder Black, Cockpit adds a striking touch to both traditional and ultramodern interiors.

The distinctive character of the Cockpit switch shines through its handmade finishes and matching toggles. The cone shape evokes a classic and timeless aesthetic, while the knurling adds a soughtafter vintage appeal, elevating your switch with a touch of nostalgia.

Available shapes





Technology



2 Way

Switch













Button

24V-250V



2 Way Switch + Feedback light light 250V-10A



Shutter Switch + Feedback light 250V-10A

Setups & Combinations





Ever thought about combining? Both Void and Dimmer work great with Cockpit.

ASK FOR OUR SOLUTIONS WITH TEMPERATURE SENSOR, KNX AND LED FEEDBACK.









STANDARD COLLECTION

European Standard

Our products are originally designed for the standard European market using wallboxes with a heart to heart distance of 71mm. In a response to popular demand, Lithoss expanded its product range to the Italian, British and Swiss market by introducing the Opera, Britannica and Helvetica frames.





BRITANNICA

Fits only on a British Standard double and Italian 504E electrical wall box. Our European standard collection is compatible with the single British Standard wall boxes. Horizontal & vertical solutions.





OPERA

Designed for Italian Standard 503E and US single wall boxes. Horizontal & vertical solutions.





HELVETICA




Swiss Standard


It wasn't an easy job but thanks to great teamwork together with our Swiss distributor, we are proud to announce that we have our product ranges now compatible with the SWISS standard wall boxes round and square shaped.

NEW DIMENSIONS SEE PAGE 114










Cockpit

Setups & combinations



Dimensions & wall boxes: see technical guide



Cockpit

Туре		Standard Collection		Circum		Opera
250V 2-way		Co11xx		CC11xx	•	OC11xx
250V shutter		Co21xx		CC21xx		OC21xx
24V-250V push button	1C	Co31xx	1C	CC31xx	1C	OC31xx
250V Cross		CoP1xx	. (•)	CCP1Px		OCP1xx
250V 2-way + neon		Co41xx		CC41xx		OC41xx
250V shutter + neon		Co51xx		CC51xx		OC51xx
250V push button + neon		Co61xx		CC61xx		OC61xx
250V 2-way		Co12xx		CC12xx		OC12xx
250V shutter		Co22xx	****	CC22xx		OC22xx
24V-250V push button	2C	Co32xx	2C	CC32xx	2C	OC32xx
250V 2-way + neon	9 9	Co42xx	•••	CC42xx	• •	OC42xx
250V shutter + neon		Co52xx		CC52xx		OC52xx
250V push button + neon		Co62xx		CC62xx		OC62xx


Setups & combinations




GET IN TOUCH FOR COMBINATIONS AND PERSONALISATION ON DEMAND

Dimensions & wall boxes: see technical guide:


xx Add the colours code at the end for any colours you desire: Add V behind the article code for vertical installation of plate.



Туре		-	EU pe F)	FR/BE (type E)	
		White	Black	White	Black
250V 2-way		Со120Н0Нхх	Co120I0Ixx	Со120Ј0Јхх	Co120L0Lxx
250V shutter	•	Co220H0Hxx	Co220I0Ixx	Co220J0Jxx	Co220L0Lxx
24V-250V push button	2C2V	Со320Н0Нхх	Co320101xx	Co320J0Jxx	Co320L0Lxx
250V 2-way + neon	•• • • •	Co420H0Hxx	Co420I0Ixx	Co420J0Jxx	Co420L0Lxx
250V shutter + neon		Co520H0Hxx	Co520I0Ixx	Co520J0Jxx	Co520L0Lxx
250V push button + neon		Co620H0Hxx	Co620I0Ixx	Co620J0Jxx	Co620L0Lxx




TYPE F
Conformity to Standards
for GERMANY according to DIN
VDE 0620-1 Standard.



TYPE E

Conformity to Standards
for FRANCE according to NF C
61-314 Standard.
for BELGIUM according to NBN C
61-112-1 Standard.





NEW

osmopolitan,

Design by Lithoss Design Studio

Room service!



The "Cosmopolitan" collection redefines elegance within the hospitality world, seamlessly blending design and function.

It delivers a perfect balance of sleek aesthetics and intuitive performance.

Available in a palette of refined finishes, the cosmopolitan range complements any interior with subtle elegance.

This offers a stylish and practical solution for hotel hallways, featuring customizable room number options to suit any layout or branding. Beyond its functional use in hospitality spaces, it also brings the luxurious, welcoming vibe of a hotel directly into your own bedroom, adding a touch of elegance and sophistication to your personal space.

Available shapes





Setups & Combinations




Many combinations possible.






scan to download the Cosmopolitan leaflet

47



Cosmopolitan

Setups & combinations





Roomcontroller

Design by Lithoss Design Studio

You are in control.

Available in stylish black, this modern control panel brings smart functionality to any space. It's designed for humid environments and fits standard European wall boxes.

Intuitive & Customizable Featuring a vibrant color display and built-in sensors for temperature, humidity, light, and movement, it adjusts to your environment automatically.

Versatile Features Control lighting, blinds, heating, air conditioning, and more—all from one sleek device. Create up to 64 custom scenes and manage everything with

ease.

User-Friendly Design With adjustable brightness, light and dark modes, optional password protection, and support for schedules and alerts, it's built for comfort and convenience.


For full features, see the product manual.

Available shapes

Lock door











scan to download the Roomcontroller manual

Switches

Aesteem

CHOOSE YOUR FINISH

The visual options are equally important. Textured Black, Anodic Bronze... what preference for colour and finish suits you most? Discover them all via our online configurator.







Textured White

Textured Black

Bronze Antique



Anodic Bronze Anodic Brown

Design by Pieter Stichelbaut & Matthias De Buck

Aesteem, a fusion of 'aesthetics' and 'esteem', was honored with the Henry van de Velde label and without compromising on also received a design award in the same year. This recognition is attributed, among other factors, to the switch's sleek and of accommodating 8 push architectural appearance. Like all other Lithoss products, Aesteem boasts a distinctive design centered around the square as its basic form.

The switch meets all contemporary requirements authenticity and craftsmanship. Aesteem stands out as the only switch capable buttons within a single module. Additionally, Aesteem offers sockets in the same design, providing a cohesive solution to complete your project.

Technology







Push Button 24V + Feedback RGB



Push Button

orientation RGB













53





Dimmers

Dimmers

Adjust the atmosphere



Available shapes





Design by Lithoss Design Studio

For our DIMMER collection, showcasing a contemporary vintage aesthetic, we drew inspiration from the handles and cone-shaped buttons found in a cockpit. Despite how common dimming modules and home automation systems have become, there's still a special satisfaction in physically turning a button to create atmosphere and coziness. Lithoss offers you the

opportunity to do so in style.
The design of the button—
whether the traditional cone
shape or the diamond-pattern
knurl shape—is a testament
to true craftsmanship: skillfuly
shaped with an excellent grip
and an authentic touch. Paired
with the cockpit switch, you can
effortlessly infuse a contemporary
vintage look into your interior
with sophistication.

Technology



Mains 1–10V dimmer dimmer


KNX dimmer

Casambi dimmer

Setups & Combinations



Ever thought about combining? Dimmer works great with Select, Luminairies and Cockpit.



CASAMBI DIMMER

NEW

Lithoss likes to keep innovating, so we are proud to be the only manufacturer in the world to present to you our wireless CASAMBI dimmer. Our rotary dimmer allows you to dim light fixtures perfectly in 3 colours: RGB, Tunable White and MonoCOLOUR white.









- •FULLY CUSTOMIZABLE
- ·WIRELESS
- **•BATTERY POWERED**
- •INCREMENTAL ROTATION
- •MONOCOLOUR, TUNABLE WHITE AND RGB DIMMING





SURFACE BOX

Place your mobile casambi dimmer wherever seems most convenient to you by using our angled surface box, ref. ACC016.







Sockets

Sockets

Designed for functionality



Design by Lithoss Design Studio & Bart Spillemaeckers

Consider the convenience of combining a switch with a socket in one panel.

This section showcases a range of sockets that aligns perfectly with Lithoss' design philosophy. While our Void collection was previously known solely for its square shape, since the beginning of 2021, we've introduced sockets in a round form, adding a touch of gracefulness to the collection. To ensure global compatibility, we've expanded our range to include Opera, Britanica and Helvetica. Whereas Opera caters to the Italian market's needs and Britannica focuses on the refined implementation of British sockets. you can now also find our elegant solutions for the Swiss market with our new Helvetica range.

Within our Void Square collection, you have the freedom to choose the desired module for installation within our 45×45 square opening. Please note that the module is not included in the delivery. With our Void round series, our square cover plates come with a round power outlet opening, to give you that modern touch and sleek appearance.

Love the elegance of round shapes? With our Circum socket series, we're taking it to the next level! This latest addition to our range embodies the captivating charm of rounded aesthetics, where every detail is carefully considered to radiate elegance.

Available shapes



Setups & Combinations

Ideal to combine with Select, Squares, Dimmer and Cockpit

VOID SQUARE: MODULE IS NOT INCLUDED









STANDARD COLLECTION

European Standard

Our products are originally designed for the standard European market using wallboxes with a heart to heart distance of 71mm. In a response to popular demand, Lithoss expanded its product range to the Italian, British and Swiss market by introducing the Opera, Britannica and Helvetica frames.











BRITANNICA

Fits only on a British Standard double and Italian 504E electrical wall box. Our European standard collection is compatible with the single British Standard wall boxes. Horizontal & vertical solutions.











OPERA

Designed for Italian Standard 503E and US single wall boxes. Horizontal & vertical solutions.





HELVETICA




Swiss Standard

It wasn't an easy job but thanks to great teamwork together with our Swiss distributor, we are proud to announce that we have our product ranges now compatible with the SWISS standard wall boxes round and square shaped.






NEW DIMENSIONS SEE PAGE 114





Sockets

Setups & combinations



Dimensions & wall boxes: see technical guide



The visual options are equally important. Stainless steel, Matt Black, Tin Antique ... what preference for colour and finish suits you most? Discover them all via our online





Brushed Titani-




Brushed Bronze Ano

Sockets


	_	U ee F)	FR/BE (type E)		
Void Round	White	Black	White	Black	
<u></u>	Vo0Hxx	Vo0lxx	Vo0Jxx	Vo0Lxx	
\odot \odot	Vo0H0Hxx	Vo0l0lxx	Vo0J0Jxx	Vo0L0Lxx	
000	Vo0H0H0Hxx	Vo0I0I0Ixx	A0010101xx	Vo0L0L0Lxx	
$\boxed{\odot\odot\odot\odot}$	Vo0H0H0H0Hxx	Vo0I0I0I0Ixx	A001010101xx	Vo0L0L0L0Lxx	

	EU (type F)			/BE pe E)
Circum Void Round	White	Black	White	Black
<u></u>	CV0Hxx	CV0lxx	CV0Jxx	CV0Lxx
\odot	CV0H0Hxx	CV0I0Ixx	CV0J0Jxx	CV0L0Lxx
$\Theta \Theta \Theta$	CV0H0H0Hxx	CV0I0I0Ixx	CA010101xx	CV0L0L0Lxx



TYPE F

Conformity to Standards for GERMANY according to DIN VDE 0620-1 Standard.



TYPE E

Conformity to Standards for FRANCE according to NF C 61-314 Standard. for BELGIUM according to NBN C 61-112-1 Standard.

Setups & combinations



GET IN TOUCH FOR COMBINATIONS AND PERSONALISATION ON DEMAND

Dimensions & wall boxes: see technical guide:

Add the colours code at the end for any colours you desire:Add V behind the article code for vertical installation of plate.

BRITANNICA

British standard	White	Black
. D	Br0Qxx	Br0Rxx
B B B	Br0Q0Qxx	Br0R0Rxx

Void Square	
	Vo0Exx
	Vo0E0Exx
	Vo0E0E0Exx
	Vo0E0E0E0Exx

Standard	collecti	on	Opera
USB C+C	8	Vo0U2xx	B OV0U2xx
USB A+C	8	Vo0U1xx	B OV0U1xx
LITE	O	Vo0U8xx	OV0U8xx
UTP	00	Vo0U9xx	OV0U9xx
		-	


MK VoMExx


71

DID YOU KNOW WE ARE COMPATIBLE WITH OTHER SOCKET+USB MODULES? PLEASE CONTACT US TO OBTAIN MORE INFO: INFO@LITHOSS.COM









Luminaires

Luminaires

Design by Lithoss Design Studio & TAL

ADD LUMINAIRES TO YOUR CONFIGURATION



The LUMINAIRES collection serves as the perfect finishing touch to any turnkey project, whether in residential or hospitality settings. The Lithoss design blends functionality with creativity, making it suitable for a variety of applications.

A standout feature of the collection is the Lithoss push button & reading light combination, a bestseller that exemplifies the perfect synergy between Lithoss and our sister company TAL.

This luminaire can be effortlessly combined on a 2-fold, 3-fold, or even 4-fold front plate, offering versatility and customization options. Additionally, the Gatekeeper and Nightguide are innovative design solutions designed for orientation lighting in spaces such as stairwells and hotel rooms, enhancing both safety and ambiance.



Obtain your favourite lighting fixture in anodised colours such as brushed Bronze, Gold and Titanium.







scan to download the TAL anodic brochure

77

Setups & Combinations

Luminaires works great with Cockpit, Select, Squares and Dimmer.







STANDARD COLLECTION

European Standard

Our products are originally designed for the standard European market using wallboxes with a heart to heart distance of 71mm. In a response to popular demand, Lithoss expanded its product range to the Italian, British and Swiss market by introducing the Opera, Britannica and Helvetica frames.




Fits only on a British Standard double and Italian 504E electrical wall box. Our European standard collection is compatible with the single British Standard wall boxes. Horizontal & vertical solutions.



OPERA

Designed for Italian Standard 503E and US single wall boxes. Horizontal & vertical solutions.



HELVETICA




Swiss Standard

It wasn't an easy job but thanks to great teamwork together with our Swiss distributor, we are proud to announce that we have our product ranges now compatible with the SWISS standard wall boxes round and square shaped.

NEW DIMENSIONS SEE PAGE 114



Swivel






Meet Berrier Junior SWIVEL.
Lithoss & Tal's design team
joined forces to write a new
chapter in their jointly successful
Luminaires story. They soon
came up with the idea of
combining TAL's iconic Berrier
with Lithoss' unique finishes and
combination options.


A new product was developed,
Berrier Junior Swivel. The Berrier
was created with an intelligent
magnet system that allows the
Berrier to be rotated smoothly in
all directions.



Microscoop

Nobel






Luminaires




Setups & combinations



Nightguide Gatekeeper Q Light ADD OTHER LUMINAIRES TO YOUR CONFIGURATION







Canuas

Design by Lithoss Design Studio


SCAN FOR MORE INFO



We proudly present... the iPAD CANVAS!

The iPad Canvas is designed to enhance the digital experience with its timeless design and sleek finish. With its clever magnetic system and central cable pass-through, it offers a secure, organized and stylish solution for using iPads in both portrait and landscape positions. From now on, you won't have to deal with cable clutter and be assured of a tidy workspace.

- •Timeless slim design.
- •Suitable for (7th-8th-9th gen iPAD) 10,2"
- •Screwless cover in 9 possible high quality finishes.
- •Simple and secure iPad installation using the smart magnetic system.
- •Portrait or landscape mounting.
- •Easy cable connection with the center cable guide (adapter and lightning cable not included)



CHOOSE YOUR FINISH

The visual options are equally important.
Stainless steel, Matt Black, Brushed Brass...
what preference for colour and finish suits
you most? Discover them all via our online
configurator.





id you know?

Design by Lithoss Design Studio

Frame+ Button+ Cover plate

Please contact us to obtain more info about possible combinations. info@lithoss.com

Our Select, Circum, Dimmers, and Cockpit collections are designed with a smart, modular approach — each product is made up of three distinct parts:

First, the frame is installed. Next, the push buttons or switch mechanism is added. Finally, the cover plate effortlessly snaps into place.

This modular system gives you the freedom to mix and match finishes and colors to suit any interior style. Choose a uniform look with all three parts in the same finish, or create a custom combination with two or even three different finishes.

For example, pair a bronze antique frame and button with a cover plate in a specific RAL color for a unique and personalized design.

Some examples of customs.



Sneak Peek

Design by Lithoss Design Studio

The design studio of Lithoss is working on some new products that will be revealed in 2025.

A glimpse of these renders may trigger and inspire you for some upcoming projects.

Pixel 6-fold

Introducing our new minimalist switch featuring 6 precision-engineered buttons. Designed in response to popular demand, it offers just the right amount of control without unnecessary complexity. Its clean aesthetic blends seamlessly into any modern setup. Built for reliability, each button provides a tactile, satisfying click. Simple, functional, and made to meet exactly what users asked for.

In the future also available on KNX.

Void / Socket Outdoor

Finished in Textured Black, this outdoor outlet reflects the essence of Lithoss—understated, precise, and enduring. Its matte surface and monolithic presence blend effortlessly into contemporary architecture, offering a discreet yet deliberate touch of design clarity.


Function meets form, without compromise.





91

designs and names are subject to change.



Design by Lithoss Design Studio

seeking something unique for their hotels. Thanks to our flexibility, many of these requests have been successfully fulfilled. These requests include customized card readers for hotel rooms, personalized room numbers, or combinations of card readers and switches.

Our switches offer the option to be printed or engraved with your desired text or symbols on the button and/or cover plate. Laser engraving, in particular, adds significant value to our products, allowing you not only to see the strength and quality but also to feel them. This attention to detail ensures that our switches not only meet but exceed your expectations, providing a personalized touch to your hotel's interior design.



Puro Hotels Lodz



Add your room number



Do not disturb




Hotel panel with card reader



"you think it, we can design it."




Hotel Krakow

















Positioning the switch at the same height of the door handle creates a perfect match.

Arpi



With over 30 years of proven robustness and watertight performance, Arpi sockets reliably supply underfloor power and data. They offer practical functionality by delivering electrical power or data in open spaces such as beneath dining room tables or next to sofas.

Available in multiple finishes, brushed or polished, Arpi sockets blend smoothly into interiors, discreetly and elegantly supplying currents underground.

Designed to withstand the most demanding environments, Arpi sockets remain resilient against heavy traffic, making them ideal for locations like shopping centers and exhibition halls. For added safety in public spaces, a safety cap is available, which can be opened using an Allen key.


Sockets

Design by Lithoss Design Studio



ARPI 64

The design comes in 4 different finishes, brushed or polished, to help shape interiors to supply a current discretely and elegantly underground.




Brushed Stainless Steel



Polished Stainless Steel



Brushed Brass




Polished Brass

101

Arpi IP64

complete devices installation set included	Brushed Stainless Steel	Brushed Brass	Polished Stainless Steel	Polished Brass
Floor outlet - FR/BE	AR6161301	AR6161306	AR6361322	AR6361323
Floor outlet – EU	AR6161401	AR6161406	AR6361422	AR6361423
2x RJ45 UTP cat 6	AR6162601	AR6162606	AR6362622	AR6362623
1x loudspeaker	AR6161901	AR6161906	AR6361922	AR6361923
2x loudspeaker	AR6162901	AR6162906	AR6362922	AR6362923
Radio - TV	AR6165901	AR6165906	AR6365922	AR6365923
USB A+C	AR6164301	AR6164306	AR6364322	AR6364323
USB C+C	AR6164401	AR6164406	AR6364422	AR6364423
Empty floor outlet - device not included	AR6150001	AR6150006	AR6350022	AR6350023
Installation set IP64	AR61000			



Installation set IP64 AR61000


ADD ARPI TO YOUR CONFIGURATION





General description


The ARPI outlet IP64 which exists for more than 30 years does no longer need to prove its robustness (IK10 Certificated) and its watertightness (IP64 Certificated) for your installation in concrete screed. Stainless steel or brass available.

Installation distances (multiple combinations)










Sockets

Design by Lithoss Design Studio



22

11


The line of floor outlets has earned and strengthened its place on the market, thanks to the IP66 line (floor outlets with even better sealing, allowing them to be installed even outdoors).

Scan for the installation video



Available in

Arpi / Arpi UK



Arpi Round





Polished Stainless



Brushed Brass



Brushed Stainless Steel

Brushed Stainless Steel Beach



Polished

23




18 Black




105

17 Bronze

Arpi IP66



complete devices installation set included	Brushed Stainless Steel	Brushed Brass	Polished Stainless Steel	Polished Brass	Brushed Stainless Steel Beach	Brushed Bronze Stainless Steel	Brushed Black Stainless Steel
Floor outlet - FR/BE	AR7161301	AR7161306	AR7361322	AR7361323	AR7161311	AR7161317	AR7161318
Floor outlet - EU	AR7161401	AR7161406	AR7361422	AR7361423	AR7161411	AR7161417	AR7161418
2x RJ45 UTP cat 6	AR7162601	AR7162606	AR7362622	AR7362623	AR7162611	AR7162617	AR7162618
1x loudspeaker	AR7161901	AR7161906	AR7361922	AR7361923	AR7161911	AR7161917	AR7161918
2x loudspeaker	AR7162901	AR7162906	AR7362922	AR7362923	AR7162911	AR7162917	AR7162918
Radio - TV	AR7165901	AR7165906	AR7365922	AR7365923	AR7165911	AR7165917	AR7165918
USB A+C	AR7164301	AR7164306	AR7364322	AR7364323	AR7164311	AR7164317	AR7164318
USB C+C	AR7164401	AR7164406	AR7364422	AR7364423	AR7164411	AR7164417	AR7164418
Empty floor outlet - device not included. Compatible with Legrand Mosaic	AR7150001	AR7150006	AR7350022	AR7350023	AR7150011	AR7150017	AR7150018
Installation Set IP66	AR71000	V					





Installation set IP66 AR71000


Installation set IP66 AR72000

ADD ARPI TO YOUR CONFIGURATION






ROUND



comple- te devices installation set included	Stainless Steel Brushed	Brushed Brass	Stainless Steel Polished	Polished Brass	Stainless Steel Brushed Beach	Bronze Stainless Steel Brushed	Black Stainless Steel Brushed
Floor outlet - FR/BE	AR7261301	AR7261306	AR7261322	AR7261323	AR7261311	AR7261317	AR7261318
Floor outlet - EU	AR7261401	AR7261406	AR7261422	AR7261423	AR7261411	AR7261417	AR7261418
Floor outlet - UK	AR7263001	AR7263006	AR7263022	AR7263023	AR7263011	AR7263017	AR7263018
2x RJ45 UTP cat 6	AR7262601	AR7262606	AR7262622	AR7262623	AR7262611	AR7262617	AR7262618
1x loudspeaker	AR7261901	AR7261906	AR7261922	AR7261923	AR7261911	AR7261917	AR7261918
2x loudspeaker	AR7262901	AR7262906	AR7262922	AR7262923	AR7262911	AR7262917	AR7262918
Radio - TV	AR7265901	AR7265906	AR7265922	AR7265923	AR7265911	AR7265917	AR7265918
USB A+C	AR7264301	AR7264306	AR7364322	AR7364323	AR7264311	AR7264317	AR7264318
USB C+C	AR7264401	AR7264406	AR7364422	AR7364423	AR7264411	AR7264417	AR7264418
Empty floor outlet - device not included. Compatible with Legrand Mosaic.	AR7250001	AR7250006	AR7250022	AR7250023	AR7250011	AR7250017	AR7250018





comple- te devices installation set included	Stainless Steel Brushed	Brushed Brass	Stainless Steel Polis- hed	Polished Brass	Stainless Steel Brushed Beach	Bronze Stainless Steel Brushed	Black Stainless Steel Brushed
Floor outlet - UK	AR7863001	AR7863006	AR7863022	AR7863023	AR7863011	AR7863017	AR7863018
2x RJ45 UTP cat 6	AR7862601	AR7862606	AR7862622	AR7862623	AR7862611	AR7862617	AR7862618
1x loudspeaker	AR7861901	AR7861906	AR7861922	AR7861923	AR7861911	AR7861917	AR7861918
2x loudspeaker	AR7862901	AR7862906	AR7862922	AR7862923	AR7862911	AR7862917	AR7862918
Radio - TV	AR7865901	AR7865906	AR7865922	AR7865923	AR7865911	AR7865917	AR7865918
USB A+C	AR7864301	AR7864306	AR7364322	AR7364323	AR7864311	AR7864317	AR7864318
USB C+C	AR7864401	AR7864406	AR7364422	AR7364423	AR7864411	AR7864417	AR7864418
Empty floor outlet - device not included. Compatible with Legrand Mosaic.	AR7850001	AR7850006	AR7850022	AR7850023	AR7850011	AR7850017	AR7850018

107











SQUARE




ROUND

complete devices installation set included	Brushed Stainless Steel	Brushed Brass	Polished Stainless Steel	Polished Brass	Brushed Stainless Steel Beach	Brushed Bronze Stainless Steel	Brushed Black Stainless Steel
Floor outlet - FR/BE	AR4161301	AR4161306	AR7361322	AR7361323	AR4161311	AR4161317	AR4161318
Floor outlet - EU	AR4161401	AR4161406	AR7361422	AR7361423	AR4161411	AR4161417	AR4161418
2x RJ45 UTP cat 6	AR4162601	AR4162606	AR7362622	AR7362623	AR4162611	AR4162617	AR4162618
1x loudspeaker	AR4161901	AR4161906	AR7361922	AR7361923	AR4161911	AR4161917	AR4161918
2x loudspeaker	AR4162901	AR4162906	AR7362922	AR7362923	AR4162911	AR4162917	AR4162918
Radio - TV	AR4165901	AR4165906	AR7365922	AR7365923	AR4165911	AR4165917	AR4165918
USB A+C	AR4164301	AR4164306	AR7364322	AR7364323	AR4164311	AR4164317	AR4164318
USB C+C	AR4164401	AR4164406	AR7364422	AR7364423	AR4164411	AR4164417	AR4164418
Empty floor outlet - device not included. Compatible with Legrand Mosaic	AR4150001	AR4150006	AR7350022	AR7350023	AR4150011	AR4150017	AR4150018








- Indoor installation only Available in all known ARPI finishes.












te devices

included

installation set

Compatible with Legrand Mosaic.




Stainles

Brushed

Steel

Steel



- Installation box included.
- Installation box is different from IP64 / IP66 with screw lid.
- Installation in all types of floors.
- Compatible with the Arpi Level Support






evel Suppor

Design by Lithoss Design Studio



This new tool helps you install your ARPI IP66 at the right height and level with the ground.
Only for indoor use.
For ARPI TAIL and ARPI IP66.

Adjustable on two levels and between heights of 140mm and 280mm.



AR73000



Demo Level support



Aqua Seal



AR7190001


Brushed Brass AR7190006



Black AR7190018

Design by Lithoss Design Studio


Thanks to the Arpi Aqua Seal, you can now assure the Arpi floorsockets of an IP66 value below the cable supply.
You can safely leave the plug and cord plugged in and aesthetically seal it with the decorative cover that comes with the socket.



Technical guide

Dimensions 100
 Compatible wall boxes 102
 Combinations 110
 Printing / engraving symbols 112

Please contact us to obtain a complete technical guide : info@lithoss.com Technical sheets you can find on our website : www.lithoss.com





1. Dimensions

Cockpit, Select, Illume, Squares, Dimmer, Void Pixel


SINGLE FRAME

TRIPLE FRAME





DOUBLE FRAME





Circum


SINGLE FRAME

DOUBLE FRAME

TRIPLE FRAME









Already a fan of our Circum? It's available in the following collections: Cockpit, Select, Squares, Dimmer, Void and Luminaires


Helvetica

SINGLE FRAME


DOUBLE FRAME








Opera



QUADRUPLE FRAME





Arpi IP64

IP66

ARPI TAIL SQUARE










ARPI ROUND

ARPI UK

ARPI TAIL ROUND







Britannica

Aesteem

SINGLE FRAME


2. Compatible wall boxes Installation guidelines


Wallboxes


Lithoss switches and sockets should be installed on wall boxes with screws (screw distance: 60mm). Below you will find an overview of possible combinations. For other European standards check compatible wall boxes on pages 90 – 95.

INSTALLATION ON ROUND WALL BOXES (STANDARD)












INSTALLATION ON ROUND WALL BOXES (O-RANGE)










INSTALLATION ON SQUARE WALL BOXES

Not applicable for Circum: see compatible wall boxes on pages 90-91




square wall box




horizontal installation

vertical installation


AESTEEM





Individual installation (no gap)

OPERA & US




83,3 (3 1/4 inch)

min 45


Single Horizontal

Ask for our Italian standard solutions: IT 505E / 506E

BRITANNICA



STANDARD



Standard UK single box

117

2. Compatible wall boxes

Reference	Manufacturor	Series	Modules	Application	Size / Dia	Depth
"1055-xx 1056-xx"	Kaiser	nvt	1	Wallbox	60	46
"1555-xx 1556-xx"	Kaiser	nvt	1	Wallbox	60	60
1069-xx	Kaiser	nvt	1	Wallbox	110 × 71	49
1068-xx	Kaiser	nvt	1	Wallbox	149 × 69	60
1656-xx	Kaiser	nvt	2	Wallbox	135×69	40
1656-21	Kaiser	nvt	2	Wallbox	150×64	65
205	Helia	nvt	1	Hollow partitions	70	45
275	Helia	nvt	1	Wallbox	60 × 60	50
276	Helia	nvt	1	Wallbox	60 × 60	65
750	Helia	nvt	1	Wallbox	60 × 60	50
752	Helia	nvt	1	Wallbox	60 × 60	50
760	Helia	nvt	1	Wallbox	60 × 60	65
7500	Helia	Q-series	1	Wallbox	60 × 60	50
7650	Helia	Q-series	1	Wallbox	60 × 60	65
450	Helia	nvt	1	Wallbox	71 × 71	45
3215	Helia	nvt	1- ∞	Wallbox	63	44
4215	Helia	nvt	1- ∞	Wallbox	63	62
662	Kaiser	nvt	SB3MT	"Wallbox Hollow partitions"	100 × 60	52
663	Kaiser	nvt	SB4MT	"Wallbox Hollow partitions"	121 × 60	52
9×61-xx	Kaiser	nvt	1	Hollow partitions	68	35
9×63-xx	Kaiser	nvt	1	Hollow partitions	68	47
9×64-xx	Kaiser	nvt	1	Hollow partitions	68	68
9×62-xx	Kaiser	nvt	2	Hollow partitions	68	47
9062-94	Kaiser	nvt	2	Hollow partitions	68	75
9463-xx	Kaiser	nvt	1	Hollow partitions	74	40
9464-xx	Kaiser	nvt	1	Hollow partitions	74	50
5011	Helia	O-series	1	Hollow partitions	68	47
5012	Helia	O-series	2	Hollow partitions	2 × 68	47
5013	Helia	O-series	3	Hollow partitions	3 × 68	47



	Lithaga		Т		W-116							
	Lithoss Circum Compati-	Select / Squares USB		Frame A	Void Squar	Frame C		lane.	Void Round			
Reference	bility	335	Illume	(Bticino)	(L/H/P)	(Vimar)	Cockpit	KNX	NXT	AEsteem	Britannica	Opera
1056-xx"	_	•	•	•*	•*		•	•	•	-		-
"1555-xx 1556-xx"	-	•	<u> </u>	•*	•*		•	•		-		
1069-xx	•	•	•		•*		•		•	•		_
1068-xx	-	•	•	•*	•*		•	•	•	•		
1656-xx	•	•	•					•				
1656-21	•			•*	•*		•					
205												
275	•	•	•	•*	•*	•*	•		•			
276	•	•	•	•*	•*	•*	•	•	•	•		•
750	•	•	•	•*	•*	•*	•	•	•	•		•
752	-	•	•	•*	•*	•*	•	•	•	•		•
760		•	•	•*	•*	•*	•	•	•	•		-
7500		0	•	•*	•*	•*	•	•	•	•		-
7650		•	•	•*	•*	•*	•	•	•	•		
450	•	•	•	•*	•*	•*	•	•	•	•		
3215	•	•	•	•*			•	•		•		
¥215	•	•	•	•			•	•		•		
562												
663	-	•			•		•	•		•	•	
9×61-xx	•			•*	•*	•*		***************************************	***************************************	•		
9×63-xx	•	•	•	•*	•*	•*	•	•	•	•		•
9×64-xx	•	•		•*	•*	•*	•	•	•	•		•
9×62-xx	•	•		•*	•*	•*	•	•	•			•
9062-94	•	•	•	•*	•*	•*	•	•	•		•	•
9463-xx	•	•		•*	•*	•*		•	•	•		-
9464-xx				•*	•*	•*						
		•					•	• -	•			
5011	•	•	•	•*	•*		•	•	•	•		
5012	•	•	•	•*	•*		•	•	•			
5013	•	•	•	•*	•*		•	•	•			

^{*=} Depending on module depth Important: Technical data is subject to change without notice. Please check our website for latest information.

2. Compatible wall boxes

Reference	Manufacturor	Series	Modules	Application	Size / Dia	Depth
5014	O-series	O-series	4	Hollow partitions	4 × 68	47
80140	Batibox	Batibox	1	Wallbox	32×70	40
80131	Batibox	Batibox	1	Wallbox	70×70	30
80141	Batibox	Batibox	1	Wallbox	70×70	40
80151	Batibox	Batibox	1	Wallbox	70×70	50
80161	Batibox	Batibox	1	Wallbox	70×70	60
80142	Batibox	Batibox	2	Wallbox	145×70	40
80149	Batibox	Batibox	3	Wallbox	115×70	40
80143	Batibox	Batibox	3	Wallbox	215×70	40
80144	Batibox	Batibox	4	Wallbox	285×70	40
89241	Batik	Batik	2	Wallbox	70×70	40
89251	Batik	Batik	2	Wallbox	70×70	50
89261	Batik	Batik	2	Wallbox	70×70	60
80185	Batibox	Batibox	1	Wallbox	75×75	40
80155	Batibox	Batibox	-	Wallbox	•	50
80021	Batibox Energy	Batibox Energy	1	Hollow partitions	67	40
80040	Batibox	Batibox	2	Hollow partitions		40
49341	Batibox	Batibox	1	Hollow partitions	65	40
80041	Batibox	Batibox	1	Hollow partitions	67	40
80051	Batibox	Batibox	1	Hollow partitions	67	50
80061	Batibox	Batibox	1	Hollow partitions	67	60
80049	Batibox	Batibox	2	Hollow partitions		40
80042	Batibox	Batibox	2	Hollow partitions	138×67	40
80052	Batibox	Batibox	2	Hollow partitions	138×67	50
80043	Batibox	Batibox	3	Hollow partitions	208×67	40
80053	Batibox	Batibox	3	Hollow partitions	208×67	50
80044	Batibox	Batibox	4	Hollow partitions	278×67	40
80054	Batibox	Batibox	4	Hollow partitions	278×67	50
89352	Batibox	Batibox	2	Hollow partitions	122×67	50



	Lithoss	cum Select /		Void Squar	re							
	Circum Compati- bility	Select / Squares USB	Illume	Frame A	Frame B	Frame C	Cockpit	KNX	Void Round	AEsteem	Britannica	Opera
Reference 5014	• Diffey			(Bticino)	(L/H/P)	(Vimar)			NXT	AESteem	Directimica	Орени
80140		•							•			-
				-					-			-
80131				•*	•*	*						
80141			•			•*			•			
80151			•	•*	•*	•*	•		•			<u>*</u>
80161	•	•	•	•*	•*	•*	•			•		_
30142	•	•		•*	•*	•*	•	•	•			
80149	•									•	****	
80143	•	•		•*	•*	•*		•		-	•	-
80144	•	•		•*	•*	•*		•				-
89241		•	•	•*	•*	•*		•		•	•	-
39251		•	•	•*	•*	•*	•	•	•	•		-
39261		•	•	•*	•*	•*	•	•	•	•		-
80185												
30155												
30021	•	•	•									
80040	_	-				-						-
49341	•	•	•		•*	•*		•	•			
30041	•	•	•	•*	•*	•*		•	•		_	
30051	•		•	•*	•*	•*	•					
30061	•		•	•*	•*	•*	•					
30049									•	•	***************************************	•
30042	•	•		•*	•*	•*		•			•	-
30052	•	•		•*	•*	•*	•	•	•		••••	-
30043	•			•*	•*				•		***************************************	-
30053	•	•		•*	•*		•	•	•			
30044	•	•		•*	•*		Г		•			
30054	•			•*	•*		•	•	•			
								_		L	<u>+</u>	-

^{*=} Depending on module depth Important: Technical data is subject to change without notice. Please check our website for latest information.

2. Compatible wall boxes

Reference	Manufacturor	Series	Modules	Application	Size / Dia	Depth
98353	Batibox	nvt	3	Hollow partitions		50
89348	Batibox	nvt	1	Hollow partitions	85	40
89358	Batibox	nvt	1	Hollow partitions	85	50
89224	nvt	nvt	1	Hollow partitions	67	40
B45	nvt	nvt	1	Wallbox	60 × 60	45
B65	nvt	nvt	1	Wallbox	60 × 60	65
2660	nvt	nvt	1	Hollow partitions	68	65
2661	nvt	nvt	1	Hollow partitions	68	45
2663	nvt	nvt	2	Hollow partitions	68	45
2664	nvt	nvt	3	Hollow partitions	68	45
2665	nvt	nvt	4	Hollow partitions	68	45
S57/100	Flexi 20	nvt	1	Wallbox	71	57
S57/Dobbel	Flexi 20	Q-series	2	Wallbox	71	57
E107M25	FM Device socket	Q-series	1- ∞	Wallbox	65	64
UP20	FM Device socket	nvt	2	Wallbox	71	62
UP30	FM Device socket	nvt	3	Wallbox	71	62
UP40	FM Device socket	nvt	4	Wallbox	71	62
KP 68	KP	nvt	1- ∞	Wallbox	71	42
KPR 68	KPR	nvt	1- ∞	Wallbox	71	64
KP 68/D	KP	nvt	1- ∞	Wallbox	72×72	43
KPR 68/D	KPR	nvt	1- ∞	Wallbox	72×72	68
KP 67/2	KP	nvt	1- ∞	Wallbox	67	43
KP 64/2	KP	nvt	2	Wallbox	68	43
KP 64/3	KP	nvt	3	Wallbox	68	43
KP 64/4	KP	nvt	4	Wallbox	68	43
KPL 64-50/LD	KPL	nvt	1	Hollow partitions	68	47
KPL 64-50/2LD	KPL	O-series	2	Hollow partitions	68	47
KPL 64-50/3LD	KPL	O-series	3	Hollow partitions	68	47
KPL 64-50/4LD	KPL	O-series	4	Hollow partitions	68	47
		•	•			



	Lithoss Select / Void Square											
	Circum Compati- bility	Select / Squares USB	Illume	Frame A	Frame B	Frame C	Cockpit	KNX	Void Round	AEsteem	Britannica	Opera
98353	2			(Bticino)	(L/H/P)	(Vimar)			NXT			
89348	-	-										
89358												
89224	•			•*	•*							
B45		•	<u>-</u>	•*	•*	•*	•			-		
B65		•	•	•*	•*	•*	•		•	-		
		_	• 	•*	•*	•*			•			
2660	•		•	<u>-</u>	····•	<u>.</u>	•		•			•
2661		•	•	•*	•*	•*	•	•	•	•		•
2663	•			•*	•*	•*	•	•	•		•	_
2664	•	•		•*	•*	•*	•	•	•			
2665	-	-	_	•*	•*	•*			•			-
557/100		•	•	•*	•*			•	•			-
S57/Dobbel	•	•		•*	•*	•	•	•	•			
E107M25	•	•	•	•*			•	•		•		
JP20	•			*	•*	•*	•		•	-	<u>-</u>	
JP30	•	•		•*	•*	•*	•	•	•	•		
JP40		•		•*	•*	•*	•	•	•			_
<p 68<="" td=""><td>•</td><td>•</td><td>•</td><td>•*</td><td>•*</td><td>•*</td><td>•</td><td>•</td><td>•</td><td>•</td><td></td><td>_</td></p>	•	•	•	•*	•*	•*	•	•	•	•		_
(PR 68	•	•	•	•*	•*	•*	•	•	•	•		•
(P 68/D	•	•	•	•*	•*	•*	•	•	•	•		_
(PR 68/D	•	•	•	•*	•*	•*	•	•	•	•		_
(P 67/2	•	•	٠	•*	•*	•*	•	•	•	•		-
<p 2<="" 64="" td=""><td>•</td><td>•</td><td></td><td>•*</td><td>•*</td><td>•*</td><td>•</td><td>•</td><td>•</td><td>•</td><td></td><td></td></p>	•	•		•*	•*	•*	•	•	•	•		
<p 3<="" 64="" td=""><td>•</td><td>•</td><td></td><td>•*</td><td>•*</td><td>•*</td><td>•</td><td>•</td><td>•</td><td>•</td><td></td><td></td></p>	•	•		•*	•*	•*	•	•	•	•		
CP 64/4		•		•*	•*	•*	•	•	•	•		
KPL 64-50/LD	•	•	•	•*	•*	•*	•	•	•	•		
KPL 64- 50/2LD	•	•		•*	•*	•*	•	•	•	•		
KPL 64- 50/3LD	•	•		•*	•*	•*	•	•	•	•		
KPL 64-50/4LD				•*	•*	•*	•	•	•			

^{*=} Depending on module depth Important: Technical data is subject to change without notice. Please check our website for latest information.

3. Combinations

Productgrou	ıp (zz)	Module type	(уу)		
Family	Code	Technology	Code 1	Туре	Code 2
		None (void, dimmer, luminaires)	0	Blind	0
Select	Ni	250V 2-way (Cockpit, Opera, Britannica, Circum)	1	1T (Select, Squares) / 1C (Cockpit)	1
		250V Shutter (Cockpit, Opera, Britannica, Circum)	2	2T (Select, Squares) /2C (Cockpit)	2
Cockpit	Со	24V-250V push button (Select, Squares, Cockpit, Opera, Britannica, Circum)	3	3T (Select, Squares)	3
Squares	Sq	250V 2-way + neon (Cockpit, Opera, Britannica, Circum)	4	4T (Select, Squares)	4
/oid	Vo	250V Shutter + neon (Cockpit, Opera, Britannica, Circum)	5	Bticino frame (void square)	А
Dimmer	Dm	24V-250V Push button + neon (Cockpit, Opera, Britannica, Circum)	6	L/H/P frame (void square)	В
Circum Select	CN	24V Push button + led white (Select, Squares, Opera, Britannica, Illume, Circum)	7	Vimar frame (void square)	С
Circum Cockpit	CC	24V Push button + led amber (Select, Squares, Opera, Britannica, Illume, Circum)	8	Dimmer 1–10V	D
Circum Squares	CS	24V + feedback RGB led (Aesteem)	9	Bticino LHP Vimar frame (void square)	E
Circum Void	CV	Teleruptor (Select, Squares, Opera, Britannica, Circum, 1T only)	А	Flex (luminaires)	F*
Circum Dimmer	CD	Domintell (Select, Squares, Opera, Britannica)	D	(2700 K) Gatekeeper (luminaires)	G
		24V Push button + led blue (illume)	E	Socket Round White EU (void round NXT)	Н
Britannica Select	BN	24V Push button + led red (illume)	F	Socket Round Black EU (void round NXT)	
Britannica Cockpit	ВС	24V + orientation RGB led (Aesteem)	G	Socket Round White FR-BE (void round NXT)	J
Britannica Squares	BS	24V + orientation & feedback RGB led (Aesteem)	Н	Dimmer KNX	K
Britannica Void	BV	Qbus+RGB LED NXT (Select, Squares, Cockpit, Opera, Britannica, Circum)		Socket Round Black FR-BE (void round NXT)	L
Britannica Dimmer	BD	Qbus+RGB LED+TEMP NXT (Select, Squares, Cockpit, Opera, Britannica, Circum)	L	(2700 K) Microscoop (luminaires)	M*
		Void MK (void)	М	(2700 K) Nobel (luminaires)	N*
Opera Select	ON	Void 3MT (void)	N	Nightguide (luminaires)	0
Opera Cockpit	ОС	Void 4MT (void)	0	Dimmer universal	Р
Opera Squares	OS	250V cross (Cockpit, Opera, Britannica, Circum, 1C only)	Р	(3000 K) Q lite (luminaires)	S
Opera Void	OV	KNX NXT (led & temp sensor) (Select, Squares, Opera, Britannica, Circum)	S	USB A (void)	U
Opera Dimmer	OD	Casambi (Select, Squares, Opera, Britannica, Circum)	Т	USB A+C (void)	U1
	-		•	UTP (void)	U8
Helvetica Select	HN		-	2UTP (void)	U9
Helvetica Cockpit	HC			USB C+C (void)	U2
Helvetica Squares	HS		•	Berrier Junior Swivel A (Luminaire)	VB1
Helvetica Void	HV		-	Casambi Tunable white (Dmmer)	VD1
Helvetica Dimmer	HD		-	Casambi RGBW (Dimmer ^o	VD2
					*
\esteem	AE		·····		

First 2 letters : name of Collection switch or first 2 letters Vo for combinations of sockets only

EXAMPLE




01 STAINLESS STEEL



Feel free to make your own combinations

Sq0L0U0M3201 in Stainless Steel.







by selecting from the configurations above.



Finish (xx) Colours Code Select Cockpit Squares Illume Stainless Steel Matt White RAL9010 Gunpowder Black (Fusain) Brushed Brass Chrome 08 Nickel 09 Textured White RAL9010 Textured Black RAL9011 Bronze Antique Matt Black RAL9011 Tin Antique Brass Antique Bicolour RAL9010 + RAL9011 28 29 Copper Stainless Steel + Textured Black Textured Black + Nickel Brushed Brass + Textured Black Copper + Textured Black Matt White + Textured Black Textured Black + Brushed Brass 36 Brushed Brass Stainless Steel + Nickel 38 Bronze Antique Brass Antique Gunpowder Black (Fusain) Tin Antique + Textured Black Nickel 43 Anodic Bronze Anodic Brown 45 Textured Black + Brass 46 Matt Black RAL9011 Textured Black Gunpowder Black Gunpowder Black Brushed Gold Ano 63 Brushed Titanium Ano Brushed Bronze Ano





125

124

Available colours lighting fixture

*Textured white RAL9010

*Textured black

*Anodic Brown

*Anodic Bronze

* Copper with Textured black Focus

4. Printing / engraving symbols

To personalize our switches, text (in the language of your choice) or symbols can be printed or engraved on the button and/or coverplate. These symbols can be printed via a special silk-screen process. The colour of the print depends on the chosen finish, for example a silver symbol on a gunpowder black coverplate. A true added value to our products is laser engraving so you don't only see the strength and quality of our products, you also feel them. By choosing the correct laser setting you can burn the surface locally in order to obtain a discrete black symbol or laser deeper to make the symbol appear in the base material. Other symbols can be printed or engraved when quality images are supplied.

Engraving our buttons and plates reveals following surface colour:

Stainless Steel / Nickel / Brushed brass / Copper / Tin Antique : black

Bronze Antique / Brass Antique : brass

Gunpowder Black : red copper

Ano colours : grey

Engraving following plates reveals following surface colour:

Matt White / Textured White : black


Matt Black / Textured Black / Anodic Brown / Anodic Bronze : light grey

Engraving following buttons (Select) reveals following surface colour:

Matt White / Textured White / Matt Black / Textured Black / Anodic Brown / Anodic Bronze: brass







*laser engraving not available for Chrome.

*our finishings are artisanal thus slight differences can occur when laser engraving.

Important: Silk-screen printing not available for Chrome and Textured finishes!

127

Lithoss

Lithoss Belgium

Moortelmeers 23 • 8740 Pittem tel +32 (0)56 48 15 98 info@lithoss.com • www.Lithoss.com

Updated brochure Spring 2025

All rights reserved.

The information in this catalogue is provided without liability. Lithoss reserves the right to change materials, characteristicsand dimensions without prior notice. Read all instructions carefully. Lithoss general conditions of sale apply.

Lithoss shall not be held liable for any discrepancies between the illustrations or descriptions given and the actual product neither for any misprints and/or typing errors.

We took the liberty of editing some images to give you an impression of how our switches improve living, office and other spaces.

Nothing in this catalogue may be reproduced without written permission from Lithoss.

This catalogue supersedes and replaces all previous catalogues.

Concept and creation: Team Lithoss